


KRISTINA ŽUBIKĖ


grafikos dizainerė

PORTFOLIO

IŠSILAVINIMAS:

ŠIAULIŲ UNIVERSITETAS / BAKALAURO LAIPSNIS / GRAFIKOS DIZAINERĖ
PEDAGOGINIS / DAILĖS IR DIZAINO MOKYTOJA





OLIVE



ARMY GREEN



KHAKI







„Kai tik pikta dvasia iš Dievo apimdavo Saulių, Dovydas imdavo į rankas lyrą ir grodavo. Sauliui būdavo lengviau, ir jis imdavo geriau jaustis, o piktoji dvasia nuo jo atsitraukdavo“.

Bibliją, Samuelio pirma knyga 16, 14-23

Žemaitijos regiono mokyklų sakralinės muzikos festivalis „Musica Divina“
skirtas Lietuvos tūkstantmečiui

PROGRAMA Spalio 23 d.

11 val. Šv. Mišios Židikių Šv. Jono Krikštytojo bažnyčioje
12 val. Festivalio „Musica Divina“ programa
16.30 val. Festivalio kūrinų aptarimas
17 val. Pokalbiai prie arbatos mokykloje

Festivalio programoje dalyvaus:
LMTA soliste Rasa Jazukonytė
ir akomponiatorė, Lietuvos muzikos ir teatro akademijos instrumentinės ir chorinės muzikos fakulteto dekanė, docentė Aušra Motuzienė

Festivalio globėjai:
Jė Telšių vyskupas **Jonas Boruta SJ**, Telšių apskrities viršininkas **Vidimantas Domarkas**, Lietuvos šaulių sąjungos vadas **Juozas Širvinskas**, Mažeikių rajono savivaldybės meras **Vilhelmas Džiugelis**.

Rėmėjai:
Mažeikių nafta, Mažeikių duona, Ingman Vega fedai.


Informaciniai rėmėjai:
Mažeikių regioninė televizija Roventa, Rajono laikraščiai „Santarvė“, „Būdas Žemaičių“

Židikių Marijos Pečkauskaitės vidurinės mokyklos vardu
direktore Rima Širvinskienė



LIETUVA

KALNŲ
PAGRINDINĖ
MOKYKLA



MAŽEIKIŲ MUZIEJUS

PARODA

AMŽIŲ ŠYDĄ PRASKLEIDUS
(EKSPONATAI APIE TALKAS IR PATALKIUS IŠ MUZIEJAUS FONDŲ)

ATIDARYTA NUO 2009-10-28









TOPE LIGHTING

BRENT SENS

99,29-100,35 lm/W

6500K IP66

CE RoHS COMPLIANT

3 YEARS WARRANTY

www.tope-lighting.com

Draw with built-in sensor chip MICROWAVE SENSOR

30m

30m

BRENTSENS LED FLOODLIGHT WITH MICROWAVE SENSOR

An LED floodlight with symmetric distribution for creating light. Electronic, Class II electrical, IP66, 3000. Body: die-cast Aluminium (A890), special-coated grey (RAL 7037). Enclosure: clear glass with optic. Supplied in one box, ready to install. Possible mounting 300°.

Complete with Microwave sensor and 6500K LED.

220-240V

CRI >80

LIFE TIME: 30000h

PRODUCT DETAILS

Article	Model	Description
600010000	BRENTSENS 30W LED 3000	TOPE LED FLOODLIGHT/BRENTSENS 30W 117x151x44mm, 3100lm
600010007	BRENTSENS 30W LED 5000	TOPE LED FLOODLIGHT/BRENTSENS 30W 117x151x44mm, 3100lm

www.tope-lighting.com

TOPE LIGHTING

SOPOT

CCT ADJUSTABLE

3000K 4500K 6500K

93,70-118,34 lm/W

3000-6500K IP20

CE RoHS COMPLIANT

3 YEARS WARRANTY

www.tope-lighting.com

Dimmable Optional

SOPOT LED CEILING LIGHT

A round ultra thin LED luminaire. Electronic, Infrared wireless dimmable and CCT adjustable output control gear. Body and base: white finish, upon white painted Steel. Diffuser: opal Polycarbonate (PC). Class II electrical, IP20, 3000 to 6500K CCT adjustable. Remote included to the set.

220-240V

CRI >80

LIFE TIME: 30000h

PRODUCT DETAILS

Article	Model	Description
600400005	SOPOT 2x18W R LED 3000	TOPE LED CEIL. LIGHT SOPOT 2x18W 0 330x37mm, 2018 lm, 80lm
600400006	SOPOT 2x24W R LED 4470	TOPE LED CEIL. LIGHT SOPOT 2x24W 0 375x37mm, 4484 lm, 80lm
600400007	SOPOT 2x36W R LED 6740	TOPE LED CEIL. LIGHT SOPOT 2x36W 0 480x37mm, 6732 lm, 80lm
600400008	SOPOT 2x48W R LED 9030	TOPE LED CEIL. LIGHT SOPOT 2x48W 0 590x37mm, 9027 lm, 80lm
600400009	SOPOT 2x24W R LED 4470	TOPE LED CEIL. LIGHT SOPOT 2x24W 0 375x37mm, 4484 lm, 80lm
600400010	SOPOT 2x36W S LED 6740	TOPE LED CEIL. LIGHT SOPOT 2x36W 0 480x37mm, 6732 lm, 80lm

www.tope-lighting.com



TOPE LIGHTING

ESNA

ESNA LED PANEL

Single length recessed individual direct LED luminaire, with a seamless rectangular shape. Dimensions: fixed output gear. Sizes: 1200x600mm, IP40. Body: extruded anodized Aluminium. End caps: die-cast aluminium, powder coated grey. Diffuser: acrylic. Complete with 4000K LED.

220-240V CRI >80 LIFE TIME: 50000h

PRODUCT DETAILS

Article	Model	Description
800300902	ESNA100_C_40W_LED_4000	LED PANEL TOPE 40W, 1200x60x55mm, 4000lm
800320052	ESNA100_C_40W_LED_4000_D	LED PANEL TOPE 40W Dimmable, 4000lm

WWW.TOPELIGHTING.COM

4000K IP40 CE RoHS COMPLIANT 3 YEARS WARRANTY

TOPE LIGHTING

ROSA

ROSA ROUND AND SQUARE LED PANEL

A recessed/inline/suspended edge lit LED luminaire with a slim form no frame profile. Electronic, fixed output gear. IP44 and/or commercial degree. Order: IP20, R03. Body: formed steel white painted (RAL9016). Diffuser: UV-stabilized, PRO-LINE prismatic optic. Complete with 4000K LED.

220-240V CRI >80 LIFE TIME: 50000h

PRODUCT DETAILS

Article	Model	Description
800300942	ROSA60_R_9W_LED_400	TOPE LED PANEL ROSA R 9W Ø75, 360lm
800300943	ROSA60_R_18W_LED_500	TOPE LED PANEL ROSA R 9W Ø100, 500lm
800300944	ROSA60_R_11W_LED_800	TOPE LED PANEL ROSA R 11W Ø125, 800lm
800300945	ROSA60_R_15W_LED_1100	TOPE LED PANEL ROSA R 15W Ø150, 1100lm
800300946	ROSA60_R_22W_LED_1740	TOPE LED PANEL ROSA R 22W Ø185, 1750lm
800300947	ROSA60_R_30W_LED_2270	TOPE LED PANEL ROSA R 30W Ø215, 2270lm
800300948	ROSA60_S_9W_LED_530	TOPE LED PANEL ROSA SQ 9W 150x150, 530lm
800300949	ROSA60_S_15W_LED_1060	TOPE LED PANEL ROSA SQ 15W 150x150, 1060lm
800300950	ROSA60_S_22W_LED_1520	TOPE LED PANEL ROSA SQ 22W 185x185, 1515lm
800300951	ROSA60_S_30W_LED_2050	TOPE LED PANEL ROSA SQ 30W 215x215, 2050lm

WWW.TOPELIGHTING.COM

4000K IP44 CE RoHS COMPLIANT 3 YEARS WARRANTY

WIRELESS - INTELLIGENT - LIGHTING

WWW.TOPDELIGHTING.COM




WWW.IQWIL.COM



UAB „TOPENERGA“
GAMYKLOS STR. 31, LT-20103
MAZS RIAI, LITHUANIA
MOB. +370 696 89192 / WAON. +370 612 12889
E-MAIL: INFO@TOPENERGA.LT
WWW.IQWIL.COM
WWW.TOPDELIGHTING.COM



1 GROUP OF LUMINAIRES



FROM THE PAST
TO THE FUTURE

IMAGINE ALL YOUR HOME OR
OFFICE LIGHTING CONTROLLED FROM
ONE OR MULTIPLE PLACES AND TO
CONTROL IT, YOU DON'T NEED ANY WIRES
SO WE OFFER TO TAKE A STEP FROM
THE PAST TO THE FUTURE

CAN CONTROL
100 GROUPS OF LUMINAIRES



WWW.TOPDELIGHTING.COM WWW.IQWIL.COM

WHAT IS




WIRELESS LIGHTING SYSTEM



WWW.TOPDELIGHTING.COM WWW.IQWIL.COM

IŠORINĖS REKLAMOS PAVYZDŽIAI: dizaino projektas ir įgyvendintas darbas



IŠORINĖS REKLAMOS KŪRIMAS PAGAL INDIVIDUALIUS UŽSAKYMUS

IŠORINĖS REKLAMOS PAVYZDŽIAI: dizaino projektas ir įgyvendintas darbas



frezuotos raidės iš 10mm PVC, klijuotos lipnia plėvele Oracal 641



IŠORINĖS REKLAMOS KŪRIMAS PAGAL INDIVIDUALIUS UŽSAKYMUS

IŠORINĖS REKLAMOS PAVYZDŽIAI: dizaino projektas ir įgyvendintas darbas



Pagrindas aliuminio kompozito plokštė. Frezuoti, šviečiantys užrašai.
Spalvos: pagrindas Black-RAL 9005, ornamentai ORACAL 641-092.



IŠORINĖS REKLAMOS KŪRIMAS PAGAL INDIVIDUALIUS UŽSAKYMUS

ĮŠORINĖS REKLAMOS PAVYZDŽIAI: dizaino projektas ir įgyvendintas darbas



Užrašai ir vaizdas klijuotas lipnia plėvele ORACAL 641



ĮŠORINĖS REKLAMOS KŪRIMAS PAGAL INDIVIDUALIUS UŽSAKYMUS

IŠORINĖS REKLAMOS PAVYZDŽIAI: dizaino projektas ir įgyvendintas darbas



2900mm.

1070mm.



Pagrindas: PVC plokštė, užrašai klijuoti lipnia plėvele ORACAL 641.



IŠORINĖS REKLAMOS KŪRIMAS PAGAL INDIVIDUALIUS UŽSAKYMUS